

**NAME**

gufile - Generic Unit File for Generic Source

**DESCRIPTION**

The gu file is a control file to be used to reference generic source for generic makes and printing of PR listings.

A gu file defines a version of a PR. Its resident directory is the PR directory with which it is associated. The gu file contains the PR number together with its version number and a collection of pident names. It is this collection of pidents which defines the version of the PR.

The format of a gu file is as follows:

<u>Format</u>	<u>Example</u>
#PR <PR number>	#PR <title>           PR-1P137-02   Administrative PR
#OWNER <PR administrator>	#OWNER jse
#INITIAL PIDENTS <pident name> <pident name>	#INITIAL PIDENTS ADMINLIBO2
#PIDENTS <pident name> <pident name>	#PIDENTS MAKEO2 SYSGEN01 TAPEGENO2
#FINAL PIDENTS <pident name>	#FINAL PIDENTS TRANSFORMO2

The section names, starting with a pound sign (#), begins in column 1.

The INITIAL PIDENTS section contains zero or more pidents (not au files), one per line. During a make of the PR, the pidents specified here will be made in the order that they are listed and before any of those in the PIDENTS section. For example, a local library of subroutines used by other pidents within the PR would be listed in the INITIAL PIDENTS section. The pidents listed here are those which should be made before any subset of those made in the PIDENTS section.

The PIDENTS section contains zero or more pidents (not au files), one per line. These pidents will be made after those in the INITIAL PIDENTS section. The pidents listed here should be independent of the order in which they are made.

The FINAL PIDENTS section contains zero or more pidents, one per line. The pidents listed here are made after the INITIAL PIDENTS and PIDENTS sections.

The name of the gu file is a concatenation of the PR numbers with the version number and the string ".gu", eg., PR-1P137-02.gu.

The gu file is the responsibility of the PR administrator who must oversee all changes to the file including the original creation of the file.

To assist the PR administrator in the creation of the gu file a prompt procedure exists. To use it, the PR administrator should perform the following UNIX commands:

```
chdir /pst/jse/aumake
form gu
```

The user will be prompted four times for the necessary information. The user should be familiar with the program form before attempting this procedure.

The gu file is a source file to be maintained like one, ie., a new or changed gu file is placed on genupd with CU's and DU's.

**FILES****SEE ALSO**

form(I) au(V)