

TR(I)

TR(I)

NAME

tr - transliterate

SYNOPSIS

tr [-c ds] [string1 [string2]]

DESCRIPTION

Tr copies the standard input to the standard output with substitution or deletion of selected characters. Input characters found in *string1* are mapped into the corresponding characters of *string2*.

Any combination of the options -c ds may be used.

-c complements the set of characters in *string1* with respect to the universe of characters whose ascii codes are 001 through 377 octal.

-d deletes all input characters in *string1*.

-s squeezes all strings of repeated output characters that are in *string2* to single characters.

The following abbreviation conventions may be used to introduce ranges of characters or repeated characters into the strings:

[*a-b*] stands for the string of characters whose ascii codes run from character *a* to character *b*.

[*a*n*], where *n* is an integer or empty, stands for *n*-fold repetition of character *a*. *n* is taken to be octal or decimal according as its first digit is or is not zero. A zero or missing *n* is taken to be huge; this facility is useful for padding *string2*.

The escape character '\ ' may be used as in *sh* to remove special meaning from any character in a string. In addition, '\ ' followed by 1, 2 or 3 octal digits stands for the character whose ascii code is given by those digits.

The following example creates a list of all the words in 'file1' one per line in 'file2', where a word is taken to be a maximal string of alphabetic. The strings are quoted to protect the special characters from interpretation by the Shell; 012 is the ascii code for newline.

```
tr -cs "[A-Z][a-z]" "[\012*]" <file1 >file2
```

SEE ALSO

sh (I), ed (I), ascii (VII)

BUGS

Won't handle ascii NUL in *string1* or *string2*; always deletes NUL from input.